

NEW COLLECTION



2025

MULTIDECKS - FREEZERS - COUNTERS







Standard Features

-  Full Glass Doors with traditional hinge
-  3m1 / 3m2 Temp. Class
-  Low Energy Consumption
-  Total visibility of products
-  R290 Refrigerant
-  Energy Efficient Fans
-  Energy Saving LED Lights on Canopy

Options

- Anti-Slam Hinged Technology
- Extra Shelf
- Front Bumper



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750
						
ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *




Standard Features

-  Full Glass Painted Doors with traditional hinge
-  3m1 / 3m2 Temp. Class
-  Low Energy Consumption
-  More Display Area
-  R290 Refrigerant
-  Energy Efficient Fans
-  Energy Saving LED Lights on Canopy


Options

- Anti-Slam Hinged Technology
- Extra Shelf
- Front Bumper


Melton
43.A1 FG - PDGD




Melton
53.A1 FG - PDGD



Melton
43.A1 FG - PDGD



Melton
53.A1.L FG - PDGD



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750
						
ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *




Standard Features

-  Double Glazed Doors with traditional hinge
-  3m1 / 3m2 Temp. Class
-  Low Energy Consumption
-  R290 Refrigerant
-  Energy Efficient Fans
-  Energy Saving LED Lights on Canopy

Options

- Anti-Slam Hinged Technology
- Extra Shelf
- Front Bumper
- Colored door frames



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750
						
ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *




Standard Features

- Manual Night Curtain
- 3m1 / 3m2 Temp. Class
- Low Energy Consumption
- R290 Refrigerant
- Energy Efficient Fans
- Energy Saving LED Lights on Canopy

Options

- Motorized Night Curtain
- Extra Shelf
- Front Bumper



AVAILABLE DIMENSIONS

937,5	1250	1875	2500
ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *




Standard Features

- Full Glass Doors with traditional hinge
- 3m1 / 3m2 Temp. Class
- Base & Wet Board & Suction 304 Chrome
- Total visibility of products
- R744 / R449 / R410 Refrigerant
- FMI Fan Assisted Cooling
- Energy Saving LED Lights on Canopy

Options

- Anti-Slam Hinged Technology
- Extra Shelf
- Front Bumper
- Panoramic End Wall



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750
						
ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *




Standard Features

-  Full Glass Painted Doors with traditional hinge
-  3m1 / 3m2 Temp. Class
-  Base & Wet Board & Suction 304 Chrome
-  More Display Area
-  R744 / R449 / R410 Refrigerant
-  FMI Fan Assisted Cooling
-  Energy Saving LED Lights on Canopy

Options

- Anti-Slam Hinged Technology
- Extra Shelf
- Front Bumper
- Panoramic End Wall



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750
						
ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *



Standard Features

-  Double Glazed Doors with traditional hinge
-  3m1 / 3m2 Temp. Class
-  Base & Wet Board & Suction 304 Chrome
-  R744 / R449 / R410 Refrigerant
-  FMI Fan Assisted Cooling
-  Energy Saving LED Lights on Canopy

Options

- Anti-Slam Hinged Technology
- Extra Shelf
- Front Bumper
- Panoramic End Wall



AVAILABLE DIMENSIONS

- | | | | | | | |
|---|---|---|---|---|---|---|
| 937,5 | 1250 | 1875 | 2500 | 2812,5 | 3124 | 3750 |
|  |  |  |  |  |  |  |
| ENERGY CLASS * | ENERGY CLASS * | ENERGY CLASS * | ENERGY CLASS * | ENERGY CLASS * | ENERGY CLASS * | ENERGY CLASS * |




Standard Features

- Manual Night Curtain
- 3m1 / 3m2 Temp. Class
- Base & Wet Board & Suction 304 Chrome
- R744 / R449 / R410 Refrigerant
- FMI Fan Assisted Cooling
- Energy Saving LED Lights on Canopy

Options

- Motorized Night Curtain
- Extra Shelf
- Front Bumper
- Panoramic End Wall



AVAILABLE DIMENSIONS

- | | | | | | | |
|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 937,5 | 1250 | 1875 | 2500 | 2812,5 | 3124 | 3750 |
| | | | | | | |
| ENERGY CLASS * | ENERGY CLASS * | ENERGY CLASS * | ENERGY CLASS * | ENERGY CLASS * | ENERGY CLASS * | ENERGY CLASS * |



Standard Features

-  Manual Night Curtain
-  3m1 / 3m2 Temp. Class
-  Base & Wet Board & Suction 304 Chrome
-  R744 / R449 / R410 Refrigerant
-  FMI Fan Assisted Cooling
-  Energy Saving LED Lights on Canopy

Options

- Motorized Night Curtain
- Extra Shelf
- Front Bumper
- Panoramic End Wall
- Special FV Shelves

Melbourne FV
53.A1







Melbourne FV
63.A1

Melbourne FV
73.A1

Melbourne FV
53.A1.L

Melbourne FV
63.A1.L

Melbourne FV
73.A1.L



AVAILABLE DIMENSIONS

- | | | | | | | |
|---|---|---|---|---|---|---|
| 937,5 | 1250 | 1875 | 2500 | 2812,5 | 3124 | 3750 |
|  |  |  |  |  |  |  |
| ENERGY CLASS * | ENERGY CLASS * | ENERGY CLASS * | ENERGY CLASS * | ENERGY CLASS * | ENERGY CLASS * | ENERGY CLASS * |







Standard Features

-  Full Glass Painted Doors with traditional hinge
-  3L1 Temp. Class
-  Low Energy Cabinet With High Efficiency Frame
-  Hot Gas Defrosting
-  More Display Area
-  R290 Refrigerant
-  Energy Efficient Fans
-  Vertical Energy Saving LED Lights

Options

- Anti-Slam Hinged Technology
- Extra Shelf
- Front Bumper



AVAILABLE DIMENSIONS

1250  **C**
ENERGY CLASS *

1875  **D**
ENERGY CLASS *

2500  **D**
ENERGY CLASS *




Standard Features

-  Triple Glazed Doors with traditional hinge
-  3L1 Temp. Class
-  Low Energy Cabinet With High Efficiency Frame
-  Hot Gas Defrosting
-  More Display Area
-  R290 Refrigerant
-  Energy Efficient Fans
-  Vertical Energy Saving LED Lights

Options

- Anti-Slam Hinged Technology
- Extra Shelf
- Front Bumper
- Colored door frames



AVAILABLE DIMENSIONS

1562



ENERGY CLASS *

2343



ENERGY CLASS *




Standard Features

-  Full Glass Painted Doors with traditional hinge
-  3L1 Temp. Class
-  More Display Area
-  R744 / R449 / R410 Refrigerant
-  FMI Fan Assisted Cooling
-  Vertical Energy Saving LED Lights

Options

- Anti-Slam Hinged Technology
- Extra Shelf
- Front Bumper
- Colored door frames
- Panoramic End Wall



AVAILABLE DIMENSIONS

- 1562  ENERGY CLASS *
- 2343  ENERGY CLASS *
- 3124  ENERGY CLASS *
- 3905  ENERGY CLASS *




Standard Features

-  Triple Glazed Doors with traditional hinge
-  3L1 Temp. Class
-  More Display Area
-  R744 / R449 / R410 Refrigerant
-  FMI Fan Assisted Cooling
-  Vertical Energy Saving LED Lights

Options

- Anti-Slam Hinged Technology
- Extra Shelf
- Front Bumper
- Colored door frames
- Panoramic End Wall



AVAILABLE DIMENSIONS

- 1562  ENERGY CLASS *
- 2343  ENERGY CLASS *
- 3124  ENERGY CLASS *
- 3905  ENERGY CLASS *




Standard Features

-  Double Glazed Sliding Doors
-  3m1 / 3m2 Temp. Class
-  Low Energy Consumption
-  FMI Fan Assisted Cooling
-  Energy Saving LED Lights on canopy


Options

- Extra Shelf
- Front Bumper

Macon
43.A1.D-SGD



Macon
53.A1.D-SGD



AVAILABLE DIMENSIONS

937,5	1250	1875	2500
			
ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *





Standard Features

-  Double Glazed Doors with traditional hinge
-  3m1 / 3m2 Temp. Class
-  Low Energy Consumption
-  FMI Fan Assisted Cooling
-  Energy Saving LED Lights on canopy

Options

- Extra Shelf
- Front Bumper



AVAILABLE DIMENSIONS

937,5	1250	1875	2500
			
ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *




Standard Features

-  Double Glazed Sliding / Push Back Doors
-  3L1 Temp. Class
-  Hot Gas Defrosting
-  Large side-front glass panels for best visibility
-  R290 Refrigerant
-  FMI Fan Assisted Cooling


Options

- Wire Divider
- Front Bumper

Havana
85.A1



Havana
85.A1.SGD



AVAILABLE DIMENSIONS

- 1250



ENERGY CLASS +
- 1875



ENERGY CLASS +
- 2500



ENERGY CLASS +







Standard Features

-  Double Glazed Sliding / Push Back Doors
-  3L1 Temp. Class
-  Double Evaporator in Island
-  Large side-front glass panels for best visibility
-  R744 / R449 / R410 Refrigerant
-  FMI Fan Assisted Cooling

Options

- Wire Divider
- Front Bumper



AVAILABLE DIMENSIONS






Standard Features

-  Triple Glazed Top Doors / Push Back Sliding Bottom Doors
-  3L1 Temp. Class
-  Double Evaporator in Island
-  Horizontal and vertical product presentation
-  R744 / R449 / R410 Refrigerant
-  FMI Fan Assisted Cooling
-  Energy Saving LED Lights on top and bottom part

Options

- Wire Divider
- Front Bumper



AVAILABLE DIMENSIONS

1875	2500	3750
		
ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *

TGD - Triple Glazed Doors
SGD - Double Glazed Sliding Doors





Standard Features

Options

- Base & Wet Board & Suction 304 Chrome
- ° 3L1 Temp. Class
- More Display Area
- R744 / R449 / R410 Refrigerant
- FMI Fan Assisted Cooling
- Energy Saving LED Lights on canopy

- Back Sliding Plexi
- On top of each other loading
- Front Bumper
- Self Service Version



AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750
						
ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *





Standard Features

-  Refrigerated Storage
-  Base & Wet Board & Suction 304 Chrome
-  3L1 Temp. Class
-  More Display Area
-  R744 / R449 / R410 Refrigerant
-  FMI Fan Assisted Cooling
-  Energy Saving LED Lights on canopy


Options

- Back Sliding Plexi
- On top of each other loading
- Front Bumper
- Self Service Version

Salta
85.A2.AK.FGSalta
95.A2.AK.FG

AVAILABLE DIMENSIONS

937,5	1250	1875	2500	2812,5	3124	3750
						
ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *	ENERGY CLASS *












Standard Features

-  Sliding Glass Doors
-  3m1 / 3m2 Temp. Class
-  Low Energy Consumption
-  R290 Refrigerant
-  FMI Fan Assisted Cooling
-  On wheels

Options

Front - Side Bumper

BRISBANE
80.A1BRISBANE
80.A1.NCBRISBANE
80.A1.O-SGDBRISBANE
50.A1BRISBANE
50.A1.NCBRISBANE
50.A1.O-SGDBRISBANE
70.A1BRISBANE
70.A1.NCBRISBANE
70.A1.O-SGD

AVAILABLE DIMENSIONS

937,5



ENERGY CLASS *

1250



ENERGY CLASS *

1875



ENERGY CLASS *

2500



ENERGY CLASS *





www.inanc teknik.com.tr

2025

MULTIDECKS - FREEZERS - COUNTERS



Adress: Köseler
Mah, Şükürtepe
Sk, No:90
Dilovası / Kocaeli
41455